

FlOMAX

International Inc.



Fast Transfer Fueling and Fluid Management Systems



FN600 Diesel Fueling Nozzle

Readily Available
Replacement Parts

Economical to Rebuild

Superior
Latching
Mechanism

Lightweight
6.6 lbs w/Swivel

Piston Actuation

Compact All Metal Construction
Investment Cast Housing
Heat Treated Stainless Steel Wear Parts

Integral High Flow Swivel



Fueling Components

Fuel Receiver available in anodized aluminum or nickel-plated steel with an O-Ring sealed aluminum cap for protection against contamination

Swivel incorporates heat treated stainless steel wear components, a superior dual lip seal design, and higher flow capacity





Standard Series Connectors

- Fully compatible and interchangeable with industry standard
- Color-coded mating components for positive identification
- Ergonomically engineered pullbacks and caps
- Closed circuit, dry break connectors
- Rugged all-metal construction
- Easily recognizable labeling

Coolant Nozzle & Receiver



Engine Nozzle & Receiver



Hydraulic Nozzle & Receiver



Transmission Nozzle & Receiver





R - Series Connectors

Nozzles incorporate a high strength 3-pin locking mechanism
Fully compatible with industry standard R-Series
Offers higher flow capacity than standard series
O-Ring sealed caps for contaminant resistance
Rugged all metal construction
Dry break connectors


Coolant Nozzle
& Receiver



Engine Nozzle
& Receiver



Hydraulic Nozzle
& Receiver



Transmission
Nozzle & Receiver





High Flow Series Connectors

- 7 nozzle & receiver sets, color coded for quick identification of mating parts
- Proprietary feature prevents cross connection of non-mating parts
- Provides the equivalent flow area of a 1" schedule 80 pipe
- Heat-treated stainless steel wear components
- O-Ring sealed contaminant resistant caps
- 500 psi working pressure rating
- Rugged all metal construction



Fuel Vent Series



Billet cap provides superior impact resistance
Easily serviced all metal construction
Rigid ball cage for positive seal



Available in all common mounting configurations

FlOMAX
International Inc.

(801) 489-3329

fax (801) 489-3326

www.flomaxinternational.com

410 N 1650 W
Springville, UT 84663 USA

Your Authorized *FlOMAX* Distributor: